

# Obligation and Weak-Parity Games


Barbara Jobstmann

Cadence Design Systems

Ecole Polytechnique Fédérale de Lausanne

Grenoble, December 2018

# Hierarchy



## Obligation Games

We consider games where the winning condition for Player 0 (on the play) is

- ▶ a Boolean combination of reachability conditions
- ▶ equivalently: a condition on the set  $\text{Occ}$

Standard form: Staiger-Wagner winning condition, using

$$F = \{F_1, \dots, F_k\}$$

Player 0 wins play  $\rho$  iff  $\text{Occ}(\rho) \in F$ . We call these games **obligation games** (or **Staiger-Wagner games**).

## Example

$$S = \{s_1, s_2, s_3\} \quad F = \{\{s_1, s_2, s_3\}\}$$



No winning strategy is positional.

There is a finite-state winning strategy.

## Weak Parity Games

Method for solving Staiger-Wagner games:


1. Solve weak parity games.
2. Reduce Staiger-Wagner games to weak parity games.

A **weak parity game** is a pair  $(G, p)$ , where

- ▶  $G = (S, S_0, E)$  is a game graph and
- ▶  $p : S \rightarrow \{0, \dots, k\}$  is a priority function mapping every state in  $S$  to a number in  $\{0, \dots, k\}$ .

A play  $\rho$  is winning for Player 0 iff the minimum priority occurring in  $\rho$  is even:  $\min_{s \in \text{Occ}(\rho)} p(s)$  is even

## Example



# Weak Parity Games

## Theorem

*For a weak parity game one can compute the winning regions  $W_0$ ,  $W_1$  and also construct corresponding positional winning strategies.*

## Proof.

Let  $G = (S, S_0, E)$  be a game graph,  $p : S \rightarrow \{0, \dots, k\}$  a priority function. Let  $P_i = \{s \in S \mid p(s) = i\}$ .

**First steps** if  $P_0 \neq \emptyset$ : We first compute  $A_0 = \text{Attr}_0(P_0)$ , clearly from here Player 0 can win.

In the rest game, we compute  $A_1 = \text{Attr}_1(P_1 \setminus A_0)$  from here Player 1 can win.

## General Construction

**Aim:** Compute  $A_0, A_1, \dots, A_k$

Let  $G_i$  be the game graph restricted to  $S \setminus (A_0 \cup \dots \cup A_{i-1})$ .

$\text{Attr}_0^{G_i}(M)$  is the 0-attractor of  $M$  in the subgraph induced by  $G_i$

$$A_0 \quad := \text{Attr}_0(P_0)$$

$$A_1 \quad := \text{Attr}_1^{G_1}(P_1 \setminus A_0)$$

for  $i > 1$  :

$$A_i \quad := \begin{cases} \text{Attr}_0^{G_i}(P_i \setminus (A_0 \cup \dots \cup A_{i-1})) & \text{if } i \text{ is even} \\ \text{Attr}_1^{G_i}(P_i \setminus (A_0 \cup \dots \cup A_{i-1})) & \text{if } i \text{ is odd} \end{cases}$$



## Correctness

Correctness Claim:

$$W_0 = \bigcup_{i \text{ even}} A_i \text{ and } W_1 = \bigcup_{i \text{ odd}} A_i$$

and the union of the corresponding attractor strategies are positional winning strategies for the two players on their respective winning regions.

Prove by induction on  $j = 0, \dots, k$  the following:

$$\bigcup_{i=0..j, i \text{ even}} A_i \subseteq W_0 \text{ and } \bigcup_{i=1..j, i \text{ odd}} A_i \subseteq W_1$$

## Correctness (cont.)

Base:

- ▶  $i=0$ :  $A_0 = \text{Attr}_0(P_0) \subseteq W_0$
- ▶  $i=1$ :  $A_1 = \text{Attr}_1(P_1 \setminus A_0) \subseteq W_1$

Induction step:

- ▶  **$i$  even:** Consider play  $\rho$  starting  $A_i$  that complies to attractor strategy.
  - ▶ **Case 1:**  $\rho$  eventually leaves  $A_i$  to some  $A_j$  (from a Player-1 state), which  $j < i$  and even, then Player 0 wins by induction hypothesis.
  - ▶ **Case 2:**  $\rho$  visits  $P_i$ , then we need to show that  $\rho$  visits only states with  $p(s) \geq i$ . Consider a state  $s$  that visits  $P_i$ , then
    - ▶ if  $s \in S_0$ , then not all edges lead to states with lower priority, otherwise  $s \in A_j$  for some  $j < i$ . Contradiction.

## Correctness (cont.)

- ▶ Case 2 (cont.):

- ▶ if  $s \in S_1$ , then all edges lead to states with priority  $\geq i$ . Any edge to a lower priority must lead to  $A_j$  with even  $j$  (Case 1). If there were edges to states  $s'$  with priority  $j < i$  and  $j$  odd, then  $s'$  would already be in  $A_j$ . Contradiction.

- ▶  $i$  odd: switch players


## Obligation/Staiger-Wagner to Weak-Parity Games

- ▶ How to translate a Staiger-Wagner **automaton** to Weak-Parity automaton?
- ▶ Idea: record visited states during a run
- ▶ Record set:  $R \subseteq S$
- ▶ Question: How to give priorities?

## Record Sets and Priorities

Assume automaton with states  $\{s_0, s_1, s_2\}$ .


Consider possible record sets:



Assume the following run  $s_1, s_0, s_1, s_0, s_2, \dots$  and the acceptance condition  $F = \{\{s_0, s_1\}, \{s_0, s_1, s_2\}\}$ . How to assign priorities?

## Record Sets and Priorities

$F = \{\{s_0, s_1\}, \{s_0, s_1, s_2\}\}$ . How would you assign priorities?



## From Staiger-Wagner to Weak Parity Automata

Given a deterministic Staiger-Wagner automaton  $A = (S, I, T, F)$ , we can construct an equivalent weak parity automaton  $A' = (S', I', T', p)$  as follows:

$$\begin{aligned} S' &:= S \times 2^S \\ I' &:= (I, \{I\}) \\ T'((s, R), a) &:= (T(s, a), R \cup \{T(s, a)\}) \\ p((s, R)) &:= 2 \cdot |S| - \begin{cases} 2 \cdot |R| & \text{if } R \in F \\ 2 \cdot |R| - 1 & \text{if } R \notin F \end{cases} \end{aligned}$$

## Idea of Game Reduction

We want to solve Staiger-Wagner games. We use a reduction to weak parity games (and the positional winning strategies of weak parity games).

Reduction will transform a game  $(G, \phi)$  into a game  $(G', \phi')$  such that usually

- ▶  $G'$  is (usually) larger than  $G$
- ▶  $\phi'$  is simpler than  $\phi$  (so the solution of  $(G', \phi')$  is simpler than that of  $(G, \phi)$ )
- ▶ from a solution of  $(G', \phi')$  we can construct a solution of  $(G, \phi)$ .

Concrete application: Transform Staiger-Wagner game into a weak parity game over a larger graph (from  $S$  proceed to  $S \times 2^S$ )



## Game Reduction

Let  $G = (S, S_0, E)$  and  $G' = (S', S'_0, E')$  be game graphs with winning conditions  $\phi$  and  $\phi'$ , respectively.

$(G, \phi)$  is **reducible** to  $(G', \phi')$  if:

1.  $S' = S \times M$  for a finite set  $M$  and  $S'_0 = S_0 \times M$
2. Each play  $\rho = s_0 s_1 \dots$  over  $G$  is translated into a play  $\rho' = s'_0 s'_1 \dots$  over  $G'$  by
  - ▶ a function  $f : S \rightarrow S \times M$  (the beginning of  $\rho'$ ).
  - ▶ for all states  $(m, s) \in S \times M$  in  $G'$  and all states  $s' \in S$  in  $G$ , if there exists an edge  $(s, s') \in E$ , then there is a unique  $m'$  with  $((m, s), (m', s')) \in E'$
  - ▶ for all edges  $((m, s), (m', s')) \in E'$  in  $G'$ , there is an edge  $(s, s') \in E$  in  $G$
3. For all plays  $\rho$  and  $\rho'$  according to 2.:  $\rho \in \phi$  iff  $\rho' \in \phi'$

## Application of Game Reduction

### Theorem

*Suppose  $(G, \phi)$  is reducible to  $(G', \phi')$  with extension set  $M$ , initial function  $g$ , and  $G$  and  $G'$  defined as before. Then, if Player 0 wins in  $(G', \phi')$  from  $g(s)$  with a memoryless winning strategy, then Player 0 wins in  $(G, \phi)$  from  $s$  with a finite-state strategy.*

**Idea:** Given a memoryless winning strategy  $f : S'_0 \rightarrow S'$  from  $g(s)$  for Player 0 in  $(G', \phi')$ , we can construct a strategy automaton  $A = (M, m_0, \delta, \lambda)$  for Player 0 in  $(G, \phi)$ .

# Obligation/Staiger-Wagner Games

## Theorem

*Given a Staiger-Wagner game  $(G, \phi)$ , one can compute the winning regions of Player 0 and 1 and corresponding finite state strategies.*

## Proof.

We can apply game reduction with  $(G', \phi')$  as follows:

$$G' := (S', S'_0, E')$$

$$S' := 2^S \times S$$

$$((R, s), (R', s')) \in E' \quad \text{iff } (s, s') \in E, R' = R \cup \{s'\}$$

$$g(s) = (\{s\}, s)$$


$$p((R, s)) := 2 \cdot |S| - \begin{cases} 2 \cdot |R| & \text{if } R \in \phi \\ 2 \cdot |R| - 1 & \text{if } R \notin \phi \end{cases}$$

# Exponential-Size Memory

## Theorem

There is a family of Staiger-Wagner games over game graphs  $G_1, G_2, G_3, \dots$  which grow linearly in  $n$  such that

- ▶ Player 0 wins from a certain initial vertex of  $G_n$
- ▶ any finite-state strategy for Player 0 needs at least  $2^n$  states



Winning condition:

$$\phi = \{ \rho \mid \forall i = 1 \dots n : i \in \text{Occ}(\rho) \leftrightarrow i' \in \text{Occ}(\rho) \}$$

## Exponential Memory (cont.)

Claim:

Over  $G_n$  there is an automaton winning strategy for Player 0 from vertex  $s_0$  with a memory of size  $2^n$ . (Remember the visited vertices  $i$ , for the appropriate choice from vertex  $s'_0$  onwards.)

Each automaton winning strategy for Player 0 from  $s_0$  in  $G_n$  has a memory of  $2^n$  many states.

Proof.


Assume  $|\text{states}| < 2^n$  is sufficient.

Then two play prefixes  $u \neq v$  exist leading to the same memory states at  $s'_0$ . The rest  $r$  of the play is then the same after  $u$  and  $v$ .

One of the two player  $ur$ ,  $vr$  is lost by Player 0. Contradiction.


## Exercise

1. Consider the game graph shown below. Let the winning condition for Player 0 be  $\text{Occ}(\rho) = \{1, 2, 3, 4, 5, 6, 7\}$ .
  1. Find the winning region for Player 0 and describe a winning strategy
  2. Show that there is no positional winning strategy for Player 0.



## Exercise

2. Compute the winning regions and the corresponding positional winning strategies for Player 0 and 1 in this weak-parity game.



## Exercise

3. A winning strategy is called *uniform* if it is a winning strategy from every winning state in the game. Let  $(G, p)$  be a weak parity game and let  $W_0$  be the winning region of Player 0. For all  $s \in W_0$  let  $f_s$  be a positional winning strategy from  $s$  for Player 0. Construct a uniform winning strategy  $f$  from the strategies  $f_s$  meaning that for every  $s \in W_0$  there is a  $t \in W_0$ , s.t.  $f(s) = f_t(s)$ .